

STANDARD PACKAGING - Surethread Standard and Extra Heavy Pipe



A53 Type F Sch. 40 Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	00055	127	0.85	2667
3/4	00056	91	1.13	1911
1	00057	70	1.68	1470
1-1/4	00058	51	2.27	1071
1-1/2	00059	44	2.72	924
2	00060	29	3.66	609
2-1/2	00061	20	5.80	420
3	00062	13	7.58	273
3-1/2	00063	10	9.11	210
4	00064	10	10.80	210

A53 Type F Sch. 40 Black T & C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	00467	127	0.85	2667
3/4	00468	91	1.13	1911
1	00469	70	1.68	1470
1-1/4	00470	51	2.28	1071
1-1/2	00471	44	2.73	924
2	00472	29	3.68	609
2-1/2	00473	20	5.82	420
3	00474	13	7.62	273
4	00476	10	10.89	210

A53 Type F Sch. 40 Galv P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	00144	127	0.85	2667
3/4	00145	91	1.13	1911
1	00146	70	1.68	1470
1-1/4	00147	51	2.27	1071
1-1/2	00148	44	2.72	924
2	00149	29	3.66	609
2-1/2	00150	20	5.80	420
3	00151	13	7.58	273
3-1/2	00152	10	9.11	210
4	00153	10	10.80	210

A53 Type F Sch. 40 Galv T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	00557	127	0.85	2667
3/4	00558	91	1.13	1911
1	00559	70	1.68	1470
1-1/4	00560	51	2.28	1071
1-1/2	00561	44	2.73	924
2	00562	29	3.68	609
2-1/2	00563	20	5.82	420
3	00564	13	7.62	273
4	00566	10	10.89	210

A53 Type F Sch. 80 Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	02187	91	1.09	1911
3/4	02188	79	1.47	1659
1	02189	44	2.17	924
1-1/4	02190	34	3.00	714
1-1/2	02191	29	3.63	609
2	02192	24	5.02	504
2-1/2	02193	20	7.66	420
3	02194	13	10.25	273

A53 Type F Sch. 80 Black T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	02404	91	1.09	1911
3/4	02405	79	1.48	1659
1	02406	44	2.18	924
1-1/4	02407	34	3.02	714
1-1/2	02408	29	3.66	609
2	02409	24	5.07	504
2-1/2	02410	20	7.73	420
3	02411	13	10.33	273

A53 Type F Sch. 80 Galv P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	02276	91	1.09	1911
3/4	02277	79	1.47	1659
1	02278	44	2.17	924
1-1/4	02279	34	3.00	714
1-1/2	02280	29	3.63	609
2	02281	24	5.02	504
2-1/2	02282	20	7.66	420
3	02283	13	10.25	273

A53 Type F Sch. 80 Galv T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	02493	91	1.09	1911
3/4	02494	79	1.48	1659
1	02495	44	2.18	924
1-1/4	02496	34	3.02	714
1-1/2	02497	29	3.66	609
2	02498	24	5.07	504
2-1/2	02499	20	7.73	420
3	02500	13	10.33	273

A53 Type F Sch. 40 Black TBE - 10'				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 10'
1/2	00251	127	0.85	1270
3/4	00252	91	1.13	910
1	00253	70	1.68	700
1-1/4	00254	51	2.27	510
1-1/2	00255	44	2.72	440
2	00256	29	3.65	290
2-1/2	00257	40	5.79	400
3	00258	30	7.58	300
4	00260	20	10.79	200

**** Yellow Indicates a "Special" and needs to be inquired"**

**STD PE X20' Material is in 2-Ton Lift Increments.
IT IS NOT IN THE QUANTITIES LISTED ABOVE.**

Bare Material is a 5-Ton Minimum

**Standard Packaging Requirements - Contact your Customer Service Representative @ 800-257-8182
or on our website @ www.wheatland.com**

A53 Type F Sch. 40 Galv TBE - 10'				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 10'
1/2	00403	127	0.85	1270
3/4	00404	91	1.13	910
1	00405	70	1.68	700
1-1/4	00406	51	2.27	510
1-1/2	00407	44	2.72	440
2	00408	29	3.65	290
2-1/2	00409	40	5.79	400
3	00410	30	7.58	300
4	00412	20	10.79	200

STANDARD PACKAGING - API Products



STD Blk API5L A25 F PSL1 Pipe PE				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	01615	127	0.85	2667
3/4	01616	91	1.13	1911
1	01617	70	1.68	1470
1-1/4	01618	51	2.27	1071
1-1/2	01619	44	2.72	924
2	01620	29	3.65	609
3	01622	13	7.58	273
4	01624	10	10.80	210

STD Blk API5L A25 F PSL1 Pipe T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	01887	127	0.86	2667
3/4	01888	91	1.14	1911
1	01889	70	1.70	1470
1-1/4	01890	51	2.30	1071
1-1/2	01891	44	2.75	924
2	01892	29	3.75	609
3	01894	13	7.70	273
4	01896	10	11.00	210

XH Blk API5L A25 F PSL1 Pipe PE				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	03068	91	1.09	1911
3/4	03069	79	1.47	1659
1	03070	44	2.17	924
1-1/4	03071	34	3.00	714
1-1/2	03072	29	3.63	609
2	03073	19	5.02	399
3	03075	10	10.25	210
4	03077	7	14.98	147

XH Blk API5L A25 F PSL1 Pipe T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1	03221	44	2.18	924

STANDARD PACKAGING - ERW and Sprinkler Pipe



A53 Type E -Grade B Sch. 40 ERW Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
2.375	01248	29	3.66	609
2.875	01249	20	5.80	420
3.500	01250	13	7.58	273
4.500	01252	10	10.80	210
5.563	01253	7	14.63	147
6.625	01254	7	18.99	147
8.625	01255	5	28.58	105
10	01256	2	40.52	42
12	01257	2	49.61	42
14	01261	2	54.62	42
16	69390	2	62.64	42
18	01259	2	70.65	42

A53 Type E -Grade B Sch. 40 ERW Black R.G.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
2.375	11248	29	3.66	609
2.875	11267	20	5.80	420
3.500	11268	13	7.58	273
4.500	11270	10	10.80	210
5.563	11272	7	14.63	147
6.625	11273	7	18.99	147
8.625	11274	5	28.58	105

A53 Type E Grade B Sch. 40 ERW Galv P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
2.375	70645	29	3.66	609
2.875	01287	20	5.80	420
3.500	01323	13	7.58	273
4.500	01286	10	10.80	210
5.563	01324	7	14.63	147
6.625	01325	7	18.99	147
8.625	01326	5	28.58	105
10	70686	2	40.52	42
12	01289	2	49.61	42

A53 Type E Grade B Sch. 40 ERW Galv R.G.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
2.375	11330	29	3.66	609
2.875	11331	20	5.80	420
3.500	11332	13	7.58	273
4.500	11334	10	10.80	210
5.563	11335	7	14.63	147
6.625	11336	7	18.99	147
8.625	11337	5	28.58	105

A53 Type E -Grade B Sch. 80 ERW Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
2.375	02884	24	5.03	504
2.875	02885	20	9.51	420
3.500	01243	13	10.26	273
4.500	02244	10	14.99	210

Please note 42' lengths of BLK PE come in the same piece count per lift as 21'.



STANDARD PACKAGING - Fire Sprinkler Pipe - 21' Lengths

Sch. 40 ASTM A795E Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1	21649	70	1.68	1470
1-1/4	21650	51	2.27	1071
1-1/2	21651	44	2.72	924
2	21652	30	3.65	630

A53 Type F Sch. 40 Black P.E. S-CUT				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1	00357	70	1.68	1470
1-1/4	00358	51	2.27	1071
1-1/2	00359	44	2.72	924
2	00360	29	3.65	609

Mega-Thread ASTM A795E Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1	70760	70	1.46	1470
1-1/4	70761	51	1.99	1071
1-1/2	70762	44	2.37	924
2	70763	30	3.09	630

MLT ASTM A795E Black Lightwall Threadable				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1	71205	91	1.37	1911
1-1/4	71206	61	1.81	1281
1-1/2	71207	61	2.09	1281
2	71208	37	2.64	777

Sch. 10 ASTM A135 Black R.G.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1-1/4	41650	61	1.81	1281
1-1/2	41651	61	2.09	1281
2	41652	37	2.64	777
2-1/2	41653	30	3.53	630
3	41654	19	4.33	399
4	41656	19	5.61	399
5	41657	13	7.77	273
6	41658	10	9.30	210
8	41659	7	16.96	147
10	31664	2	21.21	42

Sch. 10 ASTM A135 Galv R.G.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1-1/4	71669	61	1.81	1281
1-1/2	71670	61	2.09	1281
2	71662	37	2.64	777
2-1/2	71663	30	3.53	630
3	71664	19	4.33	399
4	71665	19	5.61	399
5	71667	13	7.77	273
6	71658	10	9.30	210
8	72089	7	16.96	147
10	31665	2	21.21	42

Megaflow ASTM A795E Black R.G.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1-1/4	71321	61	1.11	1281
1-1/2	71322	61	1.56	1281
2	71323	37	1.96	777
2-1/2	71324	30	2.50	630
3	71325	19	3.35	399
4	71326	19	4.33	399
6	71328	10	8.00	210

Sch. 10 ASTM A135 Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1	31649	70	1.41	1470
10	31661	2	21.21	42

A53 Type F Grade B Sch.40 Black P.E. S-cut				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1	46217	70	1.68	1470
1-1/4	46311	51	2.27	1071
1-1/2	46409	44	2.72	924
2	46511	29	3.66	609

Strut 1- 5/8 x 1-5/8 x 12 ga			
NPS	Matl. #	Wgt/Ft	Pcs/lft /Ft/Lft
1-5/8 10' length	5201010000P	1.89	50 pieces 500ft
1-5/8 20' length	5201020000P	1.89	25 pieces 500ft

Standard Packaging Requirements - Contact your Customer Service Representative @ 800-257-8182 or on our website @ www.wheatland.com

STANDARD PACKAGING - Surethread Standard and Extra Heavy Pipe

A53 Type F Grade B Sch.40 Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46003	127	0.85	2667
3/4	46103	91	1.13	1911
1	46205	70	1.68	1470
1-1/4	46302	51	2.27	1071
1-1/2	46402	44	2.72	924
2	46502	29	3.66	609
2-1/2	46602	20	5.80	420
3	46702	13	7.58	273
3-1/2	46802	10	9.11	210
4	46902	10	10.80	210

A53 Type F Grade B Sch. 40 Black T & C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46013	127	0.85	2667
3/4	46113	91	1.13	1911
1	46220	70	1.68	1470
1-1/4	46314	51	2.28	1071
1-1/2	46411	44	2.73	924
2	46515	29	3.68	609
2-1/2	46611	20	5.82	420
3	46712	13	7.62	273
4	46912	10	10.89	210

A53 Type F Grade B Sch. 40 Galv P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46005	127	0.85	2667
3/4	46105	91	1.13	1911
1	46207	70	1.68	1470
1-1/4	46304	51	2.27	1071
1-1/2	46404	44	2.72	924
2	46504	29	3.66	609
2-1/2	46604	20	5.80	420
3	46704	13	7.58	273
3-1/2	46803	10	9.11	210
4	46904	10	10.80	210

A53 Type F Grade B Sch. 40 Galv T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46014	127	0.85	2667
3/4	46114	91	1.13	1911
1	46221	70	1.68	1470
1-1/4	46315	51	2.28	1071
1-1/2	46412	44	2.73	924
2	46516	29	3.68	609
2-1/2	46612	20	5.82	420
3	46713	13	7.62	273
4	46913	10	10.89	210

A53 Type F Grade B Sch. 80 Black P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46016	91	1.09	1911
3/4	46116	79	1.47	1659
1	46224	44	2.17	924
1-1/4	46318	34	3.00	714
1-1/2	46416	29	3.63	609
2	46520	24	5.02	504
2-1/2	46614	20	7.66	420
3		13	10.25	273

A53 Type F Grade B Sch. 80 Black T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46023	91	1.09	1911
3/4	46123	79	1.48	1659
1	46231	44	2.18	924
1-1/4	46324	34	3.02	714
1-1/2	46422	29	3.66	609
2	46527	24	5.07	504
2-1/2	46611	20	7.73	420
3	46720	13	10.33	273

A53 Type F Grade B Sch. 80 Galv P.E.				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46019	91	1.09	1911
3/4	46119	79	1.47	1659
1	46226	44	2.17	924
1-1/4	46320	34	3.00	714
1-1/2	46417	29	3.63	609
2	46522	24	5.02	504
2-1/2	46616	20	7.66	420
3	46717	13	10.25	273

A53 Type F Grade B Sch. 80 Galv T&C				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft - 21'
1/2	46024	91	1.09	1911
3/4	46124	79	1.48	1659
1	46233	44	2.18	924
1-1/4	46326	34	3.02	714
1-1/2	46424	29	3.66	609
2	46529	24	5.07	504
2-1/2	46619	20	7.73	420
3	46722	13	10.33	273

A53 Type F Grade B Sch. 40 Black TBE - 10'				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft -
1/2	46009	127	0.85	1270
3/4	46108	91	1.13	910
1	46211	70	1.68	700
1-1/4	46308	51	2.27	510
1-1/2	46406	44	2.72	440
2	46508	29	3.65	290
2-1/2	46608	40	5.79	400
3	46708	30	7.58	300
4	46908	20	10.79	200

**** Yellow Indicates a "Special" and needs to be inquired"**

STD PE X20' Material is in 2-Ton Lift Increments. IT IS NOT IN THE QUANTITIES LISTED ABOVE.

Bare Material is a 5-Ton Minimum

Standard Packaging Requirements - Contact your Customer Service Representative @ 800-257-8182 or on our website @ www.wheatland.com

A53 Type F Grade B Sch. 40 Galv TBE - 10'				
NPS	Matl. #	Pcs. Per Lift	Wgt/Ft	Ftg/Lft -
1/2	46012	127	0.85	1270
3/4	46111	91	1.13	910
1	46218	70	1.68	700
1-1/4	46312	51	2.27	510
1-1/2	46409	44	2.72	440
2	46512	29	3.65	290
2-1/2	46610	40	5.79	400
3	46710	30	7.58	300
4	46910	20	10.79	200