

High Protection for High Security

AMERICAN-MADE PG-40 FENCE FRAMEWORK

Wheatland Tube produces American-made PG-40 fence framework that meets ASTM F1043, Group IC, requirements. From its zinc-rich interior coating to its double-layered exterior corrosion protection, PG-40 is manufactured for long-term performance in commercial, industrial and high-security applications in compliance with applicable local, state and federal specifications.

Get more details at wheatland.com/PG-40


Available with
ColorCoat



Hot-rolled steel provides a minimum yield strength of 50,000 psi

Galvanized interior and exterior surfaces

Clear polymer coating seals in protection and provides a smooth, lustrous finish



PG-40 Fence Framework

Wheatland Tube's PG-40 ensures superior protection for commercial, industrial and high-security applications. Features include:

- ✓ Compliance with ASTM F1043, Group IC
- ✓ 100% American-made quality
- ✓ Exceptional corrosion protection
- ✓ Optional dark green, black or brown ColorCoat®



PG-40 Dimensions and Strength Characteristics

FENCE INDUSTRY	DECIMAL OD EQUIVALENT		PIPE WALL THICKNESS		WEIGHT		SECTION MODULUS		X	MIN. YIELD STRENGTH		=	MAX. BENDING MOMENT lbs./in.	CALCULATED LOAD (LBS.)		
	OD	in.	(mm)	in.	(mm)	lbs./ft.	(kg/m)	in. ³		(mm ³)	psi			(MPa)	10' Free Supported	Cantilever
														4'	6'	
1½"	1.660	42.16	0.111	2.82	1.84	2.74	0.1962	4.98	x	50000	345	=	9810	327	204	136
1⅞"	1.900	48.26	0.120	3.05	2.28	3.39	0.2810	7.14	x	50000	345	=	14050	468	293	195
2⅜"	2.375	60.33	0.130	3.30	3.12	4.64	0.4881	12.40	x	50000	345	=	24405	814	508	339

Specifications, illustrated material and descriptions are accurate as known at time of publication and are subject to change without notice.

Get more details at wheatland.com/PG-40

WFE-052626